



3 YEARS
PARTS &
LABOUR
WARRANTY

PHARMA 1000

UNDER COUNTER, OR COUNTER TOP VACCINE REFRIGERATOR



TEMPERATURE RANGE

+3°C to +7°C @ 10°C to 32°C room temperature & 60% humidity



CAPACITY

Effective capacity: 145 Litres



DIMENSIONS

Width: 595mm Depth: 640mm Height: 830mm



- Purpose built for vaccine storage
- Exceptional performance on all shelves
- Full use of internal space (except 4cm below the fan)
- QCPP approved and exceeds requirements
- No frozen back wall and no cold spots
- Simple to use and no setup required
- Very easy to use hi/lo/reset temperature display
- Can be built in only a 3cm top gap is required
- Long lasting LED lighting (glass door model)
- 4 adjustable shelves plus raised base shelf

- Designed and manufactured in Denmark
- Lockable and self-closing, glass or solid door
- Available with right or left hinged door
- Energy consumption only 0.7 kWh/24h
- Extremely quiet only 35dB
- Audible and visual alarm
- Voltage free external alarm contacts for BMS
- Data logger access valve
- Environmentally responsible refrigerant
- Built in door alarm







PHARMA 3000

FLOOR STANDING VACCINE REFRIGERATOR



TEMPERATURE RANGE

+3°C to +7°C @ 10°C to 32°C room temperature & 60% humidity



CAPACITY

Effective capacity: 350 Litres



DIMENSIONS

Width: 595mm Depth: 640mm Height: 1900mm



- Purpose built for vaccine storage
- Exceptional performance on all shelves
- Full use of internal space (except 4cm below the fan)
- QCPP approved and exceeds requirements
- No frozen back wall and no cold spots
- Simple to use and no setup required
- Very easy to use hi/lo/reset temperature display
- Can be built in only a 3cm top gap is required
- Long lasting LED lighting (glass door model)
- 9 adjustable shelves plus raised base shelf

- Designed and manufactured in Denmark
- Lockable and self-closing, glass or solid door
- Available with right or left hinged door
- Energy consumption only 1.1 kWh/24h
- Extremely quiet only 36dB
- Audible and visual alarm
- Voltage free external alarm contacts for BMS
- Data logger access valve
- Environmentally responsible refrigerant
- Built in door alarm





CLEVER LOGGER

VACCINE FRIDGE DATA LOGGER WITH CLOUD CONNECTIVITY

SPECIFICATIONS

FEATURES



WiFi, or

Ethernet cable



Gateway

Width: 90mm

Height: 70mm Depth: 25mm

Data Logger

Width: 48mm

Height: 65mm

Depth: 10mm




FEATURES

- Automatically records temperatures every 5 minutes
- Instant alerts to your phone/email if there is a cold chain breach
- All data is securely saved to the cloud
- No ongoing fees

- Reports are automatically created and emailed to you
- Reports available as PDF, Excel or CSV files
- Can view live temperature recordings from anywhere
- Replaceable battery
- 12 month warranty

Service 1800 630 360 **Office** 1800 664 664 www.icspacific.com.au









VFT-28

VACCINE FRIDGE
DIGITAL THERMOMETER

SPECIFICATIONS



DISPLAY

Top - Current temperature

Left - Min temperature

Right - Max temperature



DIMENSIONS

Width: 98mm

Depth: 22mm

Height: 110mm



FEATURES

• Exceptionally easy to view and record hi/lo readings

- Hi, lo and current temperatures always on display
- One button press to reset hi/lo readings
- Audible alarm when outside +2°C to +8°C range
- Alarm has one press deactivation
- Perfect temperature monitor for vaccine fridge or backup cooler
- No setup required
- Includes 2 sensors to measure air or vaccine temperature
- Designed and manufactured specifically for Australian and New Zealand vaccine fridges
- Fold out stand or hang from a hook
- 2x AAA batteries included

Three Year Warranty

Office 1800 664 664



Made in Canada

3 YEARS
PARTS &
LABOUR
WARRANTY

PDA4 DOOR ALARM

EASY TO OPERATE,
ELECTRONIC DOOR ALARM

SPECIFICATIONS



SOUND LEVEL

85 dB



DIMENSIONS

Main Unit

Width: 110mm

Depth: 30mm

Height: 65mm



FEATURES

- Alarm is activated if the door is left open for a set amount of time
- Preferred open time is easy to set
- Simple to fit / No tools required
- **HELPS YOU**
- Avoid cold chain breaches
- Protect sensitive and expensive medications

- Alarm is attached with strong adhesive tape
- Operates using a standard 9v battery (included)
- Ideal to help protect your vaccines

• Avoid security call-out costs

Three Year Warranty

Office 1800 664 664

Service 1800 630 360

www.icspacific.com.au







VENICE JOEY

COMPACT, COUNTER TOP REFRIGERATED DISPLAY



TEMPERATURE RANGE

Adjustable within 2°C to 10°C @ <32°C room temperature & 60% humidity



CAPACITY

58 Litres



DIMENSIONS

Width: 430mm Depth: 380mm Height: 820mm



FEATURES

- Brilliant internal LED illumination
- Clear, 4 sided glass for enhanced 360° display
- Excellent product visibility
- High quality design for superior performance & reliability
- Dedicated signage & branding space
- Available in black or white
 Other colours available to order

- 2 adjustable chrome plated shelves plus base
- Self-closing and lockable glass door
- High energy efficiency
- Maintenance free condenser and automatic defrost
- Environmentally responsible refrigerant
- Extra bars in shelving for improved product stability

Three Year Warranty

Office 1800 664 664





VENICE

MID-SIZE, COUNTER TOP REFRIGERATED DISPLAY

SPECIFICATIONS

FEATURES

Fic

TEMPERATURE RANGE

Adjustable within 2°C to 10°C @ <32°C room temperature & 60% humidity



CAPACITY

78 Litres



DIMENSIONS

Width: 430mm Depth: 380mm Height: 960mm



FEATURES

- Brilliant internal LED illumination
- Clear, 4 sided glass for enhanced 360° display
- Excellent product visibility
- High quality design for superior performance & reliability
- Dedicated signage & branding space
- Available in black or white.

Other colours available to order

- 3 adjustable chrome plated shelves plus base
- Self-closing and lockable glass door
- Available with or without illuminated canopy
- High energy efficiency
- Maintenance free condenser and automatic defrost
- Environmentally responsible refrigerant
- Extra bars in shelving for improved product stability

Three Year Warranty

Office 1800 664 664





3 YEARS
PARTS &
LABOUR
WARRANTY

VENICE TOWER

LARGE, COUNTER TOP REFRIGERATED DISPLAY



TEMPERATURE RANGE

Adjustable within 2°C to 10°C @ <32°C room temperature & 60% humidity



CAPACITY

98 Litres



DIMENSIONS

Width: 430mm Depth: 380mm Height: 1140mm



FEATURES

- Brilliant internal LED illumination
- Clear, 4 sided glass for enhanced 360° display
- Excellent product visibility
- High quality design for superior performance & reliability
- Dedicated signage & branding space
- Available in black or white.

Other colours available to order

- 4 adjustable chrome plated shelves plus base
- Self-closing and lockable glass door
- High energy efficiency
- Maintenance free condenser and automatic defrost
- Environmentally responsible refrigerant
- Extra bars in shelving for improved product stability

Three Year Warranty

Office 1800 664 664





СОМО

LARGE, FLOOR STANDING REFRIGERATED DISPLAY

SPECIFICATIONS

FEATURES

TEMPERATURE RANGE

Adjustable within 2°C to 10°C @ <32°C room temperature & 60% humidity



CAPACITY

280 Litres



DIMENSIONS

Width: 520mm Depth: 490mm Height: 1890mm



FEATURES

- Brilliant internal LED illumination
- Clear, 4 sided glass for enhanced 360° display
- Excellent product visibility
- High quality design for superior performance & reliability
- Dedicated signage & branding space
- Optional illuminated front base panel
- Available in black or white
 Other colours available to order

- 5 adjustable chrome plated shelves plus base
- Self-closing and lockable curved glass door
- High energy efficiency
- Automatic defrost
- Easy to move, fitted with 4 durable wheels 2 lockable
- Environmentally responsible refrigerant
- Extra bars in shelving for improved product stability

Three Year Warranty

Office 1800 664 664





COMO 500

KING-SIZE, FLOOR STANDING REFRIGERATED DISPLAY

SPECIFICATIONS



TEMPERATURE RANGE

Adjustable within 2°C to 10°C @ <32°C room temperature & 60% humidity



CAPACITY

500 Litres



DIMENSIONS

Width: 650mm Depth: 650mm Height: 1940mm

(<u>©</u>

FEATURES

- Brilliant internal LED illumination
- Clear, 4 sided glass for enhanced 360° display
- Excellent product visibility
- High quality design for superior performance & reliability
- Dedicated signage & branding space
- Available in black or white.

Other colours available to order

- 5 adjustable chrome plated shelves plus base
- Self-closing and lockable glass door
- Automatic defrost
- Easy to move, fitted with 4 durable wheels 2 lockable
- Environmentally responsible refrigerant
- Extra bars in shelving for improved product stability

Three Year Warranty

Office 1800 664 664







VERONA

REFRIGERATED COUNTER TOP DISPLAYS

TEMPERATURE RANGE

& 60% humidity



Verona 70: 120L Verona 90: 160L Verona 120: 202L



Width: 700 / 880 / 1215mm

Depth: 570mm Height: 690mm



FEATURES

- Brilliant illumination with 3x internal LED lights
- Excellent product visibility
- High quality design for superior performance & reliability
- Tough, double glazed glass
- Easy slide, large rear doors
- Easy product loading and serving

- 2 adjustable shelves plus base
- 2 temperature displays
- Easy to clean
- Environmentally responsible refrigerant
- Maintenance free condenser
- Modular design suits single or multiple unit display

FEATURES

SPECIFICATIONS



SIENA 80

REFRIGERATED & HEATED COUNTER TOP DISPLAYS

SPECIFICATIONS EM

TEMPERATURE RANGE

Refrigerated: Adjustable within 2°C to 10°C @ <30°C room temperature & 60% humidity

Heated: Adjustable up to 90°C



CAPACITY

130 Litres



DIMENSIONS

Width: 800mm Depth: 590mm Height: 690mm



- Excellent product visibility
- LED illumination
- High quality design for superior performance & reliability
- Tough, double glazed glass
- Easy slide, large rear doors
- Easy product loading and serving
- Easy to clean

- 2 adjustable shelves plus base
- 2 temperature displays
- High energy efficiency (refrigerated model)
- Environmentally responsible refrigerant
- Modular design suits single or multiple unit display
- Suitable as a freestanding or built-in





SIENA 120

REFRIGERATED COUNTER TOP DISPLAY



TEMPERATURE RANGE



201 Litres



Width: 1210mm Depth: 590mm Height: 690mm



FEATURES

FEATURES

- Excellent product visibility
- LED illumination
- High quality design for superior performance & reliability
- Tough, double glazed glass
- Easy slide, large rear doors
- Easy product loading and serving
- Easy to clean

- 2 adjustable shelves plus base
- 2 temperature displays
- High energy efficiency
- Environmentally responsible refrigerant
- Modular design suits single or multiple unit display
- Suitable as a freestanding or built-in

Three Year Warranty

Office 1800 664 664





3 YEARS
PARTS &
LABOUR
WARRANTY

NOVARA

REFRIGERATED & AMBIENT FLOOR STANDING DISPLAYS



TEMPERATURE RANGE

Refrigerated:
Adjustable within 2°C to 10°C

@ <35°C room temperature



CAPACITY

Novara 915: 300 Litres Novara 1215: 410 Litres Novara 1515: 510 Litres



DIMENSIONS

Width: 915 / 1215 / 1515mm

Depth: 675mm Height: 1270m



- Brilliant internal LED illumination
- Excellent product visibility
- High quality design for superior performance & reliability
- Triple pane glass design eliminates condensation
- Easy slide, large rear doors
- Easy product loading and serving
- Easy to clean

- 2 adjustable shelves plus base
- 4 lockable castors
- High energy efficiency (refrigerated model)
- Environmentally responsible refrigerant
- Modular design suits single or multiple unit display
- Suitable as freestanding or built-in



PAVIA

HEATED COUNTER TOP DISPLAYS

SPECIFICATIONS



TEMPERATURE RANGE

Adjustable up to 90°C



CAPACITY

Pavia 80H: 27 pies

Pavia 100H: 54 pies

Pavia 140H: 72 pies

Pavia 190H: 108 pies



DIMENSIONS

Width:

Pavia 80H: 350mm

Pavia 100H: 680mm

Pavia 140H: 920mm

Pavia 190H: 1220mm

All models: Depth 490mm,

Height 660mm



FEATURES

FEATURES

- Brilliant internal LED illumination
- Excellent product visibility
- High quality design for superior performance & reliability
- Slide out crumb tray
- Easy access front and rear doors

- Easy to clean
- 3 chrome plated adjustable shelves
- LED backlit advertising space
- Top plate warming

Office 1800 664 664





FLAT TOP DISPLAY FREEZERS

TEMPERATURE RANGE

-13°C to -22°C



IG 3: 304 Litres, 3 baskets IG 4: 393 Litres, 4 baskets IG 5: 441 Litres, 5 baskets

IG 6: 509 Litres, 6 baskets

IG 2: 188 Litres, 2 baskets



Width:

IG 2: 730mm

IG 3: 1060mm

IG 4: 1310mm

IG 5: 1510mm

IG 6: 1710mm

All models: Depth 660mm, Height 920mm



FEATURES

- Easy product loading and serving
- Excellent performance
- Improved insulation for minimum ice build up
- Toughened, powder coated steel walls
- Higher load line reduces stock run outs
- Easy to clean and maintain
- Dedicated space for corporate branding or signage
- Modular design suits single or multiple unit display

OPTIONAL

- Stainless steel baskets
- Checker base plate
- Stainless steel capping

- Tough, durable units for commercial & retail use
- Glass or solid, sliding and lockable lids
- 4 castors 2 lockable
- Maintenance free condenser and manual defrost
- Digital thermometer
- Environmentally responsible refrigerant
- High quality design for superior performance & reliability
- Designed and manufactured in Denmark
- Sneeze guard
- Sneeze guard light
- 2 or 4 hole Berry Catcher

Three Year Warranty

Office 1800 664 664







IG SCOOPING RANGE

ICE CREAM SCOOPING FREEZERS

魚

Width:

IG 2: 730mm IG 3: 1060mm

IG 4: 1310mm

IG 5: 1510mm

IG 6: 1710mm



TEMPERATURE RANGE

-13°C to -22°C @ 35°C room temperature & 60% humidity



CAPACITY

5 Litre Containers

IG 2: 4 Display + 6 Reserve

IG 3: 7 Display + 14 Reserve

IG 4: 9 Display + 22 Reserve

IG 5: 11 Display + 28 Reserve

IG 6: 13 Display + 34 Reserve

11 Litre Drums

IG 2: 4 Display + 2 Reserve

IG 3: 6 Display + 4 Reserve

IG 4: 8 Display + 6 Reserve

IG 5: 10 Display + 8 Reserve
IG 6: 12 Display + 10 Reserve

nay + 6 Reserve

All models: Depth 660mm, Height 1300mm



FEATURES

- Easy product loading and serving
- Excellent performance
- Improved insulation for minimum ice build up
- Toughened, powder coated steel walls
- Higher load line reduces stock run outs
- Easy to clean and maintain
- Dedicated space for corporate branding or signage
- Modular design suits single or multiple unit display

OPTIONAL

- Stainless steel baskets
- Checker base plate
- Stainless steel capping

- Tough, durable units for commercial & retail use
- Lockable glass sliding lids
- 4 castors 2 lockable
- Maintenance free condenser and manual defrost
- Digital thermometer
- Environmentally responsible refrigerant
- High quality design for superior performance & reliability
- Designed and manufactured in Denmark
- Sneeze guard light
- 2 or 4 hole Berry Catcher

Three Year Warranty

Office 1800 664 664





3 YEARS
PARTS &
LABOUR
WARRANTY

PADDLECOF

REFRIGERATED DRINK DISPENSERS



Adjustable within 2°C to 8°C @ <35°C room temperature & 60% humidity

TEMPERATURE RANGE



CAPACITY

PaddleCof 112: 1x12 litre bowl PaddleCof 224: 2x12 litre bowls

PaddleCof 336: 3x12 litre bowls

18 litre bowls also available

40 litre bowls available to order



DIMENSIONS

Width:

PaddleCof 112: 200mm

PaddleCof 224: 400mm

PaddleCof 336: 600mm

All models: Depth 430mm, Height 670mm



- Rotating paddle system ensures even product temperature
- High quality design for superior performance & reliability
- Easy to use, one hand operation
- Easy to clean and maintain health and safety guidelines

- Non-drip, removable stainless steel tap
- Available with 1, 2 or 3 dispenser bowls
- Virtually indestructible polycarbonate bowl and lid
- Designed and manufactured in Italy





HOTEL 09

NON-REFRIGERATED DRINK DISPENSER

SPECIFICATIONS



CAPACITY

7 litres without internal ice cylinder6 litres with internal ice cylinder



DIMENSIONS

Width: 280mm Depth: 350mm Height: 530mm



FEATURES

- Easy to use, non-drip tap
- Easy to clean
- High quality design
- Tough polycarbonate bowl
- Chrome finish

- Sturdy base design with drip tray
- Stylish design ideal for hotels, self-serve restaurants, cafes, trade shows and conference centres
- Suitable for a range of cold beverages including juice, water, soft drink, iced tea and milk

Three Year Warranty

Office 1800 664 664





HOTEL 14

NON-REFRIGERATED DRINK DISPENSER

SPECIFICATIONS



CAPACITY

7 litres



DIMENSIONS

Width: 280mm Depth: 350mm Height: 530mm





- Easy to use, non-drip tap
- Easy to clean
- High quality design
- Tough chrome finish
- Sturdy base design with drip tray

- Stylish design ideal for hotels, self-serve restaurants, cafes, trade shows and conference centres
- Suitable for a range of cold beverages including juice, water, soft drink, iced tea and milk