



VENICE JOEY

COMPACT, COUNTER TOP REFRIGERATED DISPLAY

SPECIFICATIONS

F) U

TEMPERATURE RANGE

Adjustable within 2°C to 10°C @ <32°C room temperature & 60% humidity E

CAPACITY

58 Litres

ţ,

DIMENSIONS

Width: 430mm Depth: 380mm Height: 820mm

FEATURES

💮 FEATURES

- Brilliant internal LED illumination
- Clear, 4 sided glass for enhanced 360° display
- Excellent product visibility
- High quality design for superior performance & reliability
- Dedicated signage & branding space
- Available in black or white Other colours available to order

- 2 adjustable chrome plated shelves plus base
- Self-closing and lockable glass door
- High energy efficiency
- Maintenance free condenser and automatic defrost
- Environmentally responsible refrigerant
- Extra bars in shelving for improved product stability







VENICE MID-SIZE, COUNTER TOP REFRIGERATED DISPLAY

SPECIFICATIONS

F) U

TEMPERATURE RANGE

Adjustable within 2°C to 10°C @ <32°C room temperature & 60% humidity E

CAPACITY

78 Litres

Â,

DIMENSIONS

Width: 430mm Depth: 380mm Height: 960mm

FEATURES

- Brilliant internal LED illumination
- Clear, 4 sided glass for enhanced 360° display
- Excellent product visibility
- High quality design for superior performance & reliability
- Dedicated signage & branding space
- Available in black or white. Other colours available to order

- 3 adjustable chrome plated shelves plus base
- Self-closing and lockable glass door
- Available with or without illuminated canopy
- High energy efficiency
- Maintenance free condenser and automatic defrost
- Environmentally responsible refrigerant
- Extra bars in shelving for improved product stability







VENICE TOWER

LARGE, COUNTER TOP REFRIGERATED DISPLAY

F

TEMPERATURE RANGE

Adjustable within 2°C to 10°C @ <32°C room temperature & 60% humidity



CAPACITY

98 Litres

¢,

DIMENSIONS

Width: 430mm Depth: 380mm Height: 1140mm

FEATURES

- Brilliant internal LED illumination
- Clear, 4 sided glass for enhanced 360° display
- Excellent product visibility
- High quality design for superior performance & reliability
- Dedicated signage & branding space
- Available in black or white. Other colours available to order

- 4 adjustable chrome plated shelves plus base
- Self-closing and lockable glass door
- High energy efficiency
- Maintenance free condenser and automatic defrost
- Environmentally responsible refrigerant
- Extra bars in shelving for improved product stability







COMO LARGE, FLOOR STANDING REFRIGERATED DISPLAY

SPECIFICATIONS

сомо

TEMPERATURE RANGE

F) U

Adjustable within 2°C to 10°C @ <32°C room temperature & 60% humidity E

CAPACITY

280 Litres

ţ,

DIMENSIONS

Width: 520mm Depth: 490mm Height: 1890mm

FEATURES

- Brilliant internal LED illumination
- Clear, 4 sided glass for enhanced 360° display
- Excellent product visibility
- High quality design for superior performance & reliability
- Dedicated signage & branding space
- Optional illuminated front base panel
- Available in black or white Other colours available to order

- 5 adjustable chrome plated shelves plus base
- Self-closing and lockable curved glass door
- High energy efficiency
- Automatic defrost
- Easy to move, fitted with 4 durable wheels 2 lockable
- Environmentally responsible refrigerant
- Extra bars in shelving for improved product stability





СОМО 500

KING-SIZE, FLOOR STANDING REFRIGERATED DISPLAY

COMO 500

F

TEMPERATURE RANGE

Adjustable within 2°C to 10°C @ <32°C room temperature & 60% humidity



CAPACITY

500 Litres

¢,

DIMENSIONS

Width: 650mm Depth: 650mm Height: 1940mm

FEATURES

- Brilliant internal LED illumination
- Clear, 4 sided glass for enhanced 360° display
- Excellent product visibility
- High quality design for superior performance & reliability
- Dedicated signage & branding space
- Available in black or white. Other colours available to order

- 5 adjustable chrome plated shelves plus base
- Self-closing and lockable glass door
- Automatic defrost
- Easy to move, fitted with 4 durable wheels 2 lockable
- Environmentally responsible refrigerant
- Extra bars in shelving for improved product stability







VERONA REFRIGERATED COUNTER TOP DISPLAYS

F) U

SPECIFICATIONS

FEATURES

TEMPERATURE RANGE

Adjustable within 2°C to 10°C @ <30°C room temperature & 60% humidity E

CAPACITY

Verona 70: 120L Verona 90: 160L Verona 120: 202L

Â,

DIMENSIONS

Width: 700 / 880 / 1215mm Depth: 570mm Height: 690mm

- **FEATURES**
 - Brilliant illumination with 3x internal LED lights
 - Excellent product visibility
 - High quality design for superior performance & reliability
 - Tough, double glazed glass
 - Easy slide, large rear doors
 - Easy product loading and serving

- 2 adjustable shelves plus base
- 2 temperature displays
- Easy to clean
- Environmentally responsible refrigerant
- Maintenance free condenser
- Modular design suits single or multiple unit display





SIENA 80

COUNTER TOP DISPLAYS

SPECIFICATIONS

F) U

TEMPERATURE RANGE

Refrigerated: Adjustable within 2°C to 10°C @ <30°C room temperature & 60% humidity

Heated: Adjustable up to 90°C

E

CAPACITY

130 Litres

¢,

DIMENSIONS

Width: 800mm Depth: 590mm Height: 690mm

- Excellent product visibility
- LED illumination
- High quality design for superior performance & reliability
- Tough, double glazed glass
- Easy slide, large rear doors
- Easy product loading and serving
- Easy to clean

- 2 adjustable shelves plus base
- 2 temperature displays
- High energy efficiency (refrigerated model)
- Environmentally responsible refrigerant
- Modular design suits single or multiple unit display
- Suitable as a freestanding or built-in





SIENA 120

REFRIGERATED COUNTER TOP DISPLAY

F C

TEMPERATURE RANGE

E

201 Litres

Â,

Width: 1210mm Depth: 590mm Height: 690mm

FEATURES

FEATURES {🔿

- Excellent product visibility
- LED illumination
- High quality design for superior performance & reliability •
- Tough, double glazed glass
- Easy slide, large rear doors •
- Easy product loading and serving •
- Easy to clean

- 2 adjustable shelves plus base •
- 2 temperature displays •
- High energy efficiency •
- Environmentally responsible refrigerant
- Modular design suits single or multiple unit display •
- Suitable as a freestanding or built-in •

SIENA 120







F

TEMPERATURE RANGE

Refrigerated:

Adjustable within 2°C to 10°C @ <35°C room temperature & 70% humidity

CAPACITY

Novara 915: 300 Litres Novara 1215: 410 Litres Novara 1515: 510 Litres

Â,

NOVARA

REFRIGERATED & AMBIENT FLOOR STANDING DISPLAYS

DIMENSIONS

Width: 915 / 1215 / 1515mm Depth: 675mm Height: 1270m

FEATURES

- Brilliant internal LED illumination
- Excellent product visibility
- High quality design for superior performance & reliability
- Triple pane glass design eliminates condensation
- Easy slide, large rear doors
- Easy product loading and serving
- Easy to clean

- 2 adjustable shelves plus base
- 4 lockable castors
- High energy efficiency (refrigerated model)
- Environmentally responsible refrigerant
- Modular design suits single or multiple unit display
- Suitable as freestanding or built-in

SNOI





PAVIA HEATED COUNTER TOP DISPLAYS

F

SPECIFICATIONS

TEMPERATURE RANGE

Adjustable up to 90°C

CAPACITY

Pavia 80H: 27 pies Pavia 100H: 54 pies Pavia 140H: 72 pies Pavia 190H: 108 pies

¢,

DIMENSIONS

Width: Pavia 80H: 350mm Pavia 100H: 680mm Pavia 140H: 920mm Pavia 190H: 1220mm All models: Depth 490mm, Height 660mm

- Brilliant internal LED illumination
- Excellent product visibility
- High quality design for superior performance & reliability
- Slide out crumb tray
- Easy access front and rear doors

- Easy to clean
- 3 chrome plated adjustable shelves
- LED backlit advertising space
- Top plate warming



IG RANGE

F C

TEMPERATURE RANGE

-13°C to -22°C @ 35°C room temperature & 60% humidity

CAPACITY

IG 2: 188 Litres, 2 baskets IG 3: 304 Litres, 3 baskets IG 4: 393 Litres, 4 baskets IG 5: 441 Litres, 5 baskets IG 6: 509 Litres, 6 baskets Â,

DIMENSIONS

Width:

- IG 2: 730mm
- IG 3: 1060mm
- IG 4: 1310mm
- IG 5: 1510mm
- IG 6: 1710mm

All models: Depth 660mm, Height 920mm

🕑 FEATURES

- Easy product loading and serving
- Excellent performance
- Improved insulation for minimum ice build up
- Toughened, powder coated steel walls
- Higher load line reduces stock run outs
- Easy to clean and maintain
- Dedicated space for corporate branding or signage
- Modular design suits single or multiple unit display

OPTIONAL

- Stainless steel baskets
- Checker base plate
- Stainless steel capping

- Tough, durable units for commercial & retail use
- Glass or solid, sliding and lockable lids
- 4 castors 2 lockable
- Maintenance free condenser and manual defrost
- Digital thermometer
- Environmentally responsible refrigerant
- High quality design for superior performance & reliability
- Designed and manufactured in Denmark
- Sneeze guard
- Sneeze guard light
- 2 or 4 hole Berry Catcher

IG RANGE





IG SCOOPING RANGE

IG SCOOPING

TEMPERATURE RANGE

-13°C to -22°C @ 35°C room temperature & 60% humidity

CAPACIT

ſ<u></u>∎

5 Litre Containers
IG 2: 4 Display + 6 Reserve
IG 3: 7 Display + 14 Reserve
IG 4: 9 Display + 22 Reserve
IG 5: 11 Display + 28 Reserve
IG 6: 13 Display + 34 Reserve

11 Litre Drums

IG 2: 4 Display + 2 Reserve
IG 3: 6 Display + 4 Reserve
IG 4: 8 Display + 6 Reserve
IG 5:10 Display + 8 Reserve
IG 6: 12 Display + 10 Reserve

Â,

DIMENSIONS

Midth:
IG 2: 730mm
IG 3: 1060mm

IG 4: 1310mm IG 5: 1510mm IG 6: 1710mm

All models: Depth 660mm, Height 1300mm

Seatures

- Easy product loading and serving
- Excellent performance
- Improved insulation for minimum ice build up
- Toughened, powder coated steel walls
- Higher load line reduces stock run outs
- Easy to clean and maintain
- Dedicated space for corporate branding or signage
- Modular design suits single or multiple unit display

OPTIONAL

- Stainless steel baskets
- Checker base plate
- Stainless steel capping

- Tough, durable units for commercial & retail use
- Lockable glass sliding lids
- 4 castors 2 lockable
- Maintenance free condenser and manual defrost
- Digital thermometer
- Environmentally responsible refrigerant
- High quality design for superior performance & reliability
- Designed and manufactured in Denmark
- Sneeze guard light
- 2 or 4 hole Berry Catcher



PADDLECOF

3 YEARS PARTS & LABOUR

WARRANTY

REFRIGERATED DRINK DISPENSERS

PADDLECOF

F

TEMPERATURE RANGE

Adjustable within 2°C to 8°C @ <35°C room temperature & 60% humidity

E

CAPACITY

PaddleCof 112: 1x12 litre bowl PaddleCof 224: 2x12 litre bowls PaddleCof 336: 3x12 litre bowls 18 litre bowls also available 40 litre bowls available to order

Â,

DIMENSIONS

Width: PaddleCof 112: 200mm PaddleCof 224: 400mm PaddleCof 336: 600mm All models: Depth 430mm, Height 670mm

FEATURES

- Rotating paddle system ensures even product temperature
- High quality design for superior performance & reliability
- Easy to use, one hand operation
- Easy to clean and maintain health and safety guidelines

- Non-drip, removable stainless steel tap
- Available with 1, 2 or 3 dispenser bowls
- Virtually indestructible polycarbonate bowl and lid
- Designed and manufactured in Italy





HOTEL 09

NON-REFRIGERATED DRINK DISPENSER

HOTEL 09

CAPACITY

F

7 litres without internal ice cylinder6 litres with internal ice cylinder

Â,

DIMENSIONS

Width: 280mm Depth: 350mm Height: 530mm

FEATURES

- Easy to use, non-drip tap
- Easy to clean
- High quality design
- Tough polycarbonate bowl
- Chrome finish

- Sturdy base design with drip tray
- Stylish design ideal for hotels, self-serve restaurants, cafes, trade shows and conference centres
- Suitable for a range of cold beverages including juice, water, soft drink, iced tea and milk





HOTEL 14

NON-REFRIGERATED DRINK DISPENSER

HOTEL 14

7 litres

F

Â,

Width: 280mm Depth: 350mm Height: 530mm

FEATURES {(~)

- Easy to use, non-drip tap
- Easy to clean
- High quality design •
- Tough chrome finish
- Sturdy base design with drip tray

- Stylish design ideal for hotels, self-serve restaurants, cafes, trade shows and conference centres
- Suitable for a range of cold beverages including juice, water, soft drink, iced tea and milk