



3 YEARS
PARTS &
LABOUR
WARRANTY

VENICE JOEY



VENICE JOEY

COMPACT, COUNTER TOP
REFRIGERATED DISPLAY

SPECIFICATIONS



TEMPERATURE RANGE

Adjustable within 2°C to 10°C
@ <32°C room temperature
& 60% humidity



CAPACITY

58 Litres



DIMENSIONS

Width: 430mm

Depth: 380mm

Height: 820mm

FEATURES



FEATURES

- Brilliant internal LED illumination
- Clear, 4 sided glass for enhanced 360° display
- Excellent product visibility
- High quality design for superior performance & reliability
- Dedicated signage & branding space
- Available in black or white
Other colours available to order
- 2 adjustable chrome plated shelves plus base
- Self-closing and lockable glass door
- High energy efficiency
- Maintenance free condenser and automatic defrost
- Environmentally responsible refrigerant
- Extra bars in shelving for improved product stability



VENICE

MID-SIZE, COUNTER TOP
REFRIGERATED DISPLAY



TEMPERATURE RANGE

Adjustable within 2°C to 10°C
@ <32°C room temperature
& 60% humidity



CAPACITY

78 Litres



DIMENSIONS

Width: 430mm

Depth: 380mm

Height: 960mm



FEATURES

- Brilliant internal LED illumination
- Clear, 4 sided glass for enhanced 360° display
- Excellent product visibility
- High quality design for superior performance & reliability
- Dedicated signage & branding space
- Available in black or white.
Other colours available to order
- 3 adjustable chrome plated shelves plus base
- Self-closing and lockable glass door
- Available with or without illuminated canopy
- High energy efficiency
- Maintenance free condenser and automatic defrost
- Environmentally responsible refrigerant
- Extra bars in shelving for improved product stability



3 YEARS
PARTS &
LABOUR
WARRANTY

VENICE TOWER



VENICE TOWER

LARGE, COUNTER TOP
REFRIGERATED DISPLAY

SPECIFICATIONS



TEMPERATURE RANGE

Adjustable within 2°C to 10°C
@ <32°C room temperature
& 60% humidity



CAPACITY

98 Litres



DIMENSIONS

Width: 430mm
Depth: 380mm
Height: 1140mm

FEATURES



FEATURES

- Brilliant internal LED illumination
- Clear, 4 sided glass for enhanced 360° display
- Excellent product visibility
- High quality design for superior performance & reliability
- Dedicated signage & branding space
- Available in black or white.
Other colours available to order
- 4 adjustable chrome plated shelves plus base
- Self-closing and lockable glass door
- High energy efficiency
- Maintenance free condenser and automatic defrost
- Environmentally responsible refrigerant
- Extra bars in shelving for improved product stability



COMO

**LARGE, FLOOR STANDING
REFRIGERATED DISPLAY**



TEMPERATURE RANGE

Adjustable within 2°C to 10°C
@ <32°C room temperature
& 60% humidity



CAPACITY

280 Litres



DIMENSIONS

Width: 520mm

Depth: 490mm

Height: 1890mm



FEATURES

- Brilliant internal LED illumination
- Clear, 4 sided glass for enhanced 360° display
- Excellent product visibility
- High quality design for superior performance & reliability
- Dedicated signage & branding space
- Optional illuminated front base panel
- Available in black or white
Other colours available to order
- 5 adjustable chrome plated shelves plus base
- Self-closing and lockable curved glass door
- High energy efficiency
- Automatic defrost
- Easy to move, fitted with 4 durable wheels – 2 lockable
- Environmentally responsible refrigerant
- Extra bars in shelving for improved product stability



3 YEARS
PARTS &
LABOUR
WARRANTY

COMO 500



COMO 500

KING-SIZE, FLOOR STANDING
REFRIGERATED DISPLAY

SPECIFICATIONS



TEMPERATURE RANGE

Adjustable within 2°C to 10°C
@ <32°C room temperature
& 60% humidity



CAPACITY

500 Litres



DIMENSIONS

Width: 650mm

Depth: 650mm

Height: 1940mm

FEATURES



FEATURES

- Brilliant internal LED illumination
- Clear, 4 sided glass for enhanced 360° display
- Excellent product visibility
- High quality design for superior performance & reliability
- Dedicated signage & branding space
- Available in black or white.
Other colours available to order
- 5 adjustable chrome plated shelves plus base
- Self-closing and lockable glass door
- Automatic defrost
- Easy to move, fitted with 4 durable wheels – 2 lockable
- Environmentally responsible refrigerant
- Extra bars in shelving for improved product stability



3 YEARS
PARTS &
LABOUR
WARRANTY



VERONA

REFRIGERATED COUNTER TOP DISPLAYS



TEMPERATURE RANGE

Adjustable within 2°C to 10°C
@ <30°C room temperature
& 60% humidity



CAPACITY

Verona 70: 120L
Verona 90: 160L
Verona 120: 202L



DIMENSIONS

Width: 706 / 885 / 1250mm
Depth: 570mm
Height: 690mm



FEATURES

- Brilliant illumination with 3x internal LED lights
- Excellent product visibility
- High quality design for superior performance & reliability
- Tough, double glazed glass
- Easy slide, large rear doors
- Easy product loading and serving
- 2 adjustable shelves plus base
- 2 temperature displays
- Easy to clean
- Environmentally responsible refrigerant
- Maintenance free condenser
- Modular design suits single or multiple unit display



3 YEARS
PARTS &
LABOUR
WARRANTY



SIENA 80

REFRIGERATED & HEATED
COUNTER TOP DISPLAYS

SIENA 80

SPECIFICATIONS



TEMPERATURE RANGE

Refrigerated: Adjustable
within 2°C to 10°C
@ <30°C room temperature
& 60% humidity

Heated: Adjustable up to 90°C



CAPACITY

130 Litres



DIMENSIONS

Width: 800mm
Depth: 590mm
Height: 690mm

FEATURES



FEATURES

- Excellent product visibility
- LED illumination
- High quality design for superior performance & reliability
- Tough, double glazed glass
- Easy slide, large rear doors
- Easy product loading and serving
- Easy to clean
- 2 adjustable shelves plus base
- 2 temperature displays
- High energy efficiency (refrigerated model)
- Environmentally responsible refrigerant
- Modular design suits single or multiple unit display
- Suitable as a freestanding or built-in



3 YEARS
PARTS &
LABOUR
WARRANTY

SIENA 120



SIENA 120

REFRIGERATED COUNTER TOP DISPLAY

SPECIFICATIONS



TEMPERATURE RANGE

Adjustable within 2°C to 10°C
@ <30°C room temperature
& 60% humidity



CAPACITY

201 Litres



DIMENSIONS

Width: 1210mm

Depth: 590mm

Height: 690mm

FEATURES



FEATURES

- Excellent product visibility
- LED illumination
- High quality design for superior performance & reliability
- Tough, double glazed glass
- Easy slide, large rear doors
- Easy product loading and serving
- Easy to clean
- 2 adjustable shelves plus base
- 2 temperature displays
- High energy efficiency
- Environmentally responsible refrigerant
- Modular design suits single or multiple unit display
- Suitable as a freestanding or built-in



3 YEARS
PARTS &
LABOUR
WARRANTY



NOVARA

REFRIGERATED & AMBIENT
FLOOR STANDING DISPLAYS



TEMPERATURE RANGE

Refrigerated:
Adjustable within 2°C to 10°C
@ <35°C room temperature
& 70% humidity



CAPACITY

Novara 915: 300 Litres
Novara 1215: 410 Litres
Novara 1515: 510 Litres



DIMENSIONS

Width: 915 / 1215 / 1515mm
Depth: 675mm
Height: 1270mm



FEATURES

- Brilliant internal LED illumination
- Excellent product visibility
- High quality design for superior performance & reliability
- Triple pane glass design eliminates condensation
- Easy slide, large rear doors
- Easy product loading and serving
- Easy to clean
- 2 adjustable shelves plus base
- 4 lockable castors
- High energy efficiency (refrigerated model)
- Environmentally responsible refrigerant
- Modular design suits single or multiple unit display
- Suitable as freestanding or built-in



3 YEARS
PARTS &
LABOUR
WARRANTY



PAVIA

HEATED COUNTER TOP DISPLAYS



TEMPERATURE RANGE

Adjustable up to 90°C



CAPACITY

Pavia 80H: 27 pies
Pavia 100H: 54 pies
Pavia 140H: 72 pies
Pavia 190H: 108 pies



DIMENSIONS

Width:

Pavia 80H: 350mm
Pavia 100H: 680mm
Pavia 140H: 920mm
Pavia 190H: 1220mm

All models: Depth 490mm,
Height 660mm



FEATURES

- Brilliant internal LED illumination
- Excellent product visibility
- High quality design for superior performance & reliability
- Slide out crumb tray
- Easy access front and rear doors
- Easy to clean
- 3 chrome plated adjustable shelves
- LED backlit advertising space
- Top plate warming



3 YEARS
PARTS &
LABOUR
WARRANTY



NOVA RANGE

FLAT TOP DISPLAY & STORAGE
FREEZERS



TEMPERATURE RANGE

-16°C to -23°C @ 35°C room temperature & 60% humidity



CAPACITY

Size	Litres	Baskets	5 Litre Containers	11 Litre Drums
Nova 2:	163	2	4 Display + 6 Reserve	4 Display + 2 Reserve
Nova 3:	267	3	7 Display + 14 Reserve	6 Display + 4 Reserve
Nova 4:	345	4	9 Display + 22 Reserve	8 Display + 6 Reserve
Nova 5:	408	5	11 Display + 28 Reserve	10 Display + 8 Reserve
Nova 6:	489	6	13 Display + 36 Reserve	12 Display + 12 Reserve



DIMENSIONS

Width:

Nova 2: 764mm

Nova 3: 1094mm

Nova 4: 1344mm

Nova 5: 1544mm

Nova 6: 1804mm

All models: Depth 694mm,
Height 867mm



FEATURES

- High quality design for superior performance & reliability
- Improved 77mm insulation for minimum ice build up
- Improved energy efficiency
- Long life
- Toughened, powder coated steel walls
- Easy to clean and maintain
- Dedicated space for corporate branding or signage
- Modular design suits single or multiple unit display
- Designed and manufactured in Denmark
- Tough, durable units for commercial & retail use
- Easy product loading and serving
- Glass or solid, sliding and lockable lids
- 4 castors – 2 lockable
- Maintenance free condenser and manual defrost
- Digital thermometer
- Environmentally responsible refrigerant

OPTIONAL

- Stainless steel baskets
- Checker base plate
- Stainless steel capping
- Sneeze guard
- Sneeze guard light
- 2 or 4 hole Berry Catcher



**3 YEARS
PARTS &
LABOUR
WARRANTY**



IG RANGE

FLAT TOP DISPLAY FREEZERS

IG RANGE

SPECIFICATIONS



TEMPERATURE RANGE

-13°C to -22°C
@ 35°C room temperature
& 60% humidity



CAPACITY

IG 2: 188 Litres, 2 baskets
IG 3: 304 Litres, 3 baskets
IG 4: 393 Litres, 4 baskets
IG 5: 441 Litres, 5 baskets
IG 6: 509 Litres, 6 baskets



DIMENSIONS

Width:

IG 2: 730mm
IG 3: 1060mm
IG 4: 1310mm
IG 5: 1510mm
IG 6: 1710mm

All models: Depth 660mm,
Height 920mm

FEATURES



FEATURES

- Easy product loading and serving
- Excellent performance
- Improved insulation for minimum ice build up
- Toughened, powder coated steel walls
- Higher load line reduces stock run outs
- Easy to clean and maintain
- Dedicated space for corporate branding or signage
- Modular design suits single or multiple unit display
- Tough, durable units for commercial & retail use
- Glass or solid, sliding and lockable lids
- 4 castors – 2 lockable
- Maintenance free condenser and manual defrost
- Digital thermometer
- Environmentally responsible refrigerant
- High quality design for superior performance & reliability
- Designed and manufactured in Denmark

OPTIONAL

- Stainless steel baskets
- Checker base plate
- Stainless steel capping
- Sneeze guard
- Sneeze guard light
- 2 or 4 hole Berry Catcher



3 YEARS
PARTS &
LABOUR
WARRANTY



IG SCOOPING RANGE

ICE CREAM SCOOPING FREEZERS

IG SCOOPING

SPECIFICATIONS



TEMPERATURE RANGE

-13°C to -22°C @ 35°C room temperature & 60% humidity



CAPACITY

5 Litre Containers

IG 2: 4 Display + 6 Reserve
IG 3: 7 Display + 14 Reserve
IG 4: 9 Display + 22 Reserve
IG 5: 11 Display + 28 Reserve
IG 6: 13 Display + 34 Reserve

11 Litre Drums

IG 2: 4 Display + 2 Reserve
IG 3: 6 Display + 4 Reserve
IG 4: 8 Display + 6 Reserve
IG 5: 10 Display + 8 Reserve
IG 6: 12 Display + 10 Reserve



DIMENSIONS

Width:

IG 2: 730mm
IG 3: 1060mm
IG 4: 1310mm
IG 5: 1510mm
IG 6: 1710mm

All models: Depth 660mm,
Height 1300mm

FEATURES



FEATURES

- Easy product loading and serving
- Excellent performance
- Improved insulation for minimum ice build up
- Toughened, powder coated steel walls
- Higher load line reduces stock run outs
- Easy to clean and maintain
- Dedicated space for corporate branding or signage
- Modular design suits single or multiple unit display
- Tough, durable units for commercial & retail use
- Lockable glass sliding lids
- 4 castors – 2 lockable
- Maintenance free condenser and manual defrost
- Digital thermometer
- Environmentally responsible refrigerant
- High quality design for superior performance & reliability
- Designed and manufactured in Denmark

OPTIONAL

- Stainless steel baskets
- Sneeze guard light
- Checker base plate
- 2 or 4 hole Berry Catcher
- Stainless steel capping



3 YEARS
PARTS &
LABOUR
WARRANTY

PADDLECOF



PADDLECOF

REFRIGERATED DRINK DISPENSERS

SPECIFICATIONS



TEMPERATURE RANGE

Adjustable within 2°C to 8°C
@ <35°C room temperature
& 60% humidity



CAPACITY

PaddleCof 112: 1x12 litre bowl
PaddleCof 224: 2x12 litre bowls
PaddleCof 336: 3x12 litre bowls
18 litre bowls also available
40 litre bowls available to
order



DIMENSIONS

Width:
PaddleCof 112: 200mm
PaddleCof 224: 400mm
PaddleCof 336: 600mm
All models: Depth 430mm,
Height 670mm

FEATURES



FEATURES

- Rotating paddle system ensures even product temperature
- High quality design for superior performance & reliability
- Easy to use, one hand operation
- Easy to clean and maintain health and safety guidelines
- Non-drip, removable stainless steel tap
- Available with 1, 2 or 3 dispenser bowls
- Virtually indestructible polycarbonate bowl and lid
- Designed and manufactured in Italy



3 YEARS
PARTS &
LABOUR
WARRANTY

HOTEL 09



HOTEL 09

NON-REFRIGERATED
DRINK DISPENSER

SPECIFICATIONS



CAPACITY

- 7 litres without internal ice cylinder
- 6 litres with internal ice cylinder



DIMENSIONS

- Width: 280mm
- Depth: 350mm
- Height: 530mm

FEATURES



FEATURES

- Easy to use, non-drip tap
- Easy to clean
- High quality design
- Tough polycarbonate bowl
- Chrome finish
- Sturdy base design with drip tray
- Stylish design ideal for hotels, self-serve restaurants, cafes, trade shows and conference centres
- Suitable for a range of cold beverages including juice, water, soft drink, iced tea and milk



3 YEARS
PARTS &
LABOUR
WARRANTY

HOTEL 14



HOTEL 14

NON-REFRIGERATED
DRINK DISPENSER

SPECIFICATIONS



CAPACITY

7 litres



DIMENSIONS

Width: 280mm

Depth: 350mm

Height: 530mm

FEATURES



FEATURES

- Easy to use, non-drip tap
- Easy to clean
- High quality design
- Tough chrome finish
- Sturdy base design with drip tray
- Stylish design ideal for hotels, self-serve restaurants, cafes, trade shows and conference centres
- Suitable for a range of cold beverages including juice, water, soft drink, iced tea and milk